


FERN SECTION

582.35 : 625

EAK



With Dr Hooker's comments

CATALOGUE

OF THE

FERNS AND THEIR ALLIES

CULTIVATED IN THE ROYAL GARDENS OF KEW.

PREPARED BY J. G. BAKER, F.L.S.

1868.

CATALOGUE

OF THE

FERNS AND THEIR ALLIES

CULTIVATED IN THE ROYAL GARDENS OF KEW.

PREPARED BY J. G. BAKER, F.L.S.

1868.

Name.	Locality.	Additions.
ACROPHORUS; <i>see</i> Davallia.		
ACROSTICHUM, <i>Linn.</i>		
acuminatum, <i>Hook.</i>	Brazil.	
alienum, <i>Sw.</i>	Trop. America	
apodum, <i>Kaulf.</i>	"	
aureum, <i>Linn.</i>	Trop. and sub- trop. regions.	
auritum, <i>Sw.</i>	Malaya.	
axillare, <i>Cav.</i>	Trop. Asia.	
brachystachys, (<i>J. Sm.</i>); <i>see</i> spicatum.		
Cænopteris, <i>Kze.</i>	Trop. America	
callæfolium, <i>Blume</i> ; <i>see</i> latifolium.		
canaliculatum, <i>Hook.</i> ...	"	
caudatum, <i>Hook.</i>	"	
cervinum, <i>Sw.</i>	"	
conforme, <i>Sw.</i>	Trop. and sub- trop. regions.	
crassinerve, <i>Kze.</i> ; <i>see</i> latifolium.		
crinitum, <i>L.</i>	Trop. America	
crispatulum, <i>Wall.</i> ; <i>see</i> virens.		
decurrens, <i>Blume</i> ; <i>see</i> variabile.		
dimorphum, <i>H. and G.</i>	St. Helena.	
flagelliferum, <i>Wall.</i>	Trop. Asia.	
Herminieri, <i>Bory.</i>	West Indies.	
latifolium, <i>Sw.</i>	Tropics.	
var. angustifolium, <i>Hort.</i>	"	
var. callæfolium, (<i>Bl.</i>)	Trop. Asia.	
var. crassinerve, (<i>Kze.</i>)	Brazil.	
var. ferrugineum, <i>Hort.</i>		
var. longifolium, (<i>Jacq.</i>)	Trop. America	
longifolium, <i>Jacq.</i> ; <i>see</i> † latifolium.		

Name.	Locality.	Additions.
<i>ACROSTICHUM</i> — <i>cont.</i>		
<i>Lingua, Raddi.</i>	Trop. America	
<i>melanopus, Kze.</i>	"	
<i>muscosum, Sw.</i>	"	
<i>nicotianæfolium, Sw.</i>	"	
<i>osmundaceum, Hook.</i>	"	
<i>piloselloides, Presl; see</i> <i>spathulatum.</i>		
<i>præstantissimum, Bory.</i> ..	"	
<i>proliferum, Hook.; see</i> <i>virens.</i>		
<i>quercifolium, Retz.</i>	Trop. Asia.	
<i>repandum, Blume.</i>	"	
<i>var. Quoyanum, Gaud.</i>	"	
<i>scolopendrifolium, Raddi</i>	Trop. America	
<i>sorbifolium, L.</i>	Tropics, &c.	
<i>spathulatum, Bory.</i>	"	
<i>spicatum, L.</i>	Tropics of Old World.	
<i>squamosum, L.</i>	Tropics, &c.	
<i>tectum, Willd.</i>	Trop. America	
<i>undulatum, Willd.</i>	"	
<i>variabile, Hook.</i>	Trop. Asia.	
<i>virens, Wall.</i>	"	
<i>var. crispatum, Wall.</i>	"	
<i>var. proliferum, Hook.</i>	"	
<i>viscosum, Sw.</i>	Tropics.	
<i>ADIANTOPSIS; see Cheil-</i> <i>anthes.</i>		
<i>ADIANTUM, Linn.:</i>		
<i>æthiopicum, L.</i>	Trop. and S. temp. zones.	
<i>var. assimile, (Sw.) ...</i>	Australia.	
<i>var. chilense, (Kaulf.)</i> ..	Chili.	
<i>var. sulphureum, (Kaulf.)</i> ..	"	
<i>affine, Willd.</i>	New Zealand, &c.	
<i>affine, Hook.; see diapha-</i> <i>num.</i>		
<i>assimile, Sw.; see æthi-</i> <i>opicum.</i>		
<i>betulinum, Kaulf.; see</i> <i>subcordatum.</i>		
<i>Capillus-veneris, L.</i>	Trop. and temp. zones.	
<i>var. Loweii, Hort.</i>	Crimea.	
<i>var. Moritzianum,</i> <i>(Klotzsch.)</i>	S. America.	
<i>cardiochlæna, Kze.; see</i> <i>polyphyllum.</i>		
<i>Catherinæ, J. Sm.; see</i> <i>trapeziforme.</i>		
<i>caudatum, L.</i>	Tropics every- where.	
<i>chilense, Kaulf.; see</i> <i>æthiopicum.</i>		
<i>colpodes, Moore.</i>	Trop. America	
<i>concinnum, H.B.K.</i>	"	
<i>var. latum, Veitch.</i>	"	
<i>crenatum, Willd.</i>	"	
<i>cristatum, L.</i>	"	

Name.	Locality.	Additions.
ADIANTUM—cont.		
cultratum, <i>J. Sm.</i> ; see trapeziforme.		
✓ cuneatum, <i>L. and F.</i>	Trop. America	
Cunninghami, <i>Hook.</i> ; see affine.		
curvatum, <i>Kaulf.</i>	"	
✓ diaphanum, <i>Bl.</i>	N. Zealand, &c.	
✓ dolosum, <i>Kunze.</i>	Trop. America	
emarginatum, <i>Bory</i> ; see æthiopicum.		
✓ Feei, <i>Moore.</i>	"	
✓ flabellulatum, <i>L.</i>	Trop. Asia.	
✓ flexuosum, <i>Hook.</i> ; see Feei.		
formosum, <i>R. Br.</i>	Australia.	
fovearum, <i>Raddi.</i> ; see te- traphyllum.		
✓ fulvum, <i>Raoul.</i>	N. Zealand, &c.	
glaucophyllum, <i>Hook.</i> ..	Mexico.	
hirtum, <i>Klotzsch.</i>	Trop. America	
hispidulum, <i>Sw.</i>	Tropics, &c. of Old World.	
✓ var. tenellum, <i>Moore.</i> ..	Australia.	
✓ intermedium, <i>Sw.</i>	Trop. America	
✓ Kaulfussii, <i>Kze.</i>	"	
✓ lucidum, <i>Sw.</i>	"	
✓ lunulatum, <i>Burm.</i>	Tropics every- where.	
✓ macrophyllum, <i>Sw.</i>	Trop. America	
Matthewsianum, <i>Hook.</i> ; see polyphyllum.		
Moritzianum, <i>Klotzsch</i> ; see Capillus-veneris.		
✓ obliquum, <i>Willd.</i>	Trop. America	
✓ pedatum, <i>L.</i>	N. America, &c.	
pentadactylon, <i>L. and F.</i> ; see trapeziforme.		
✓ polyphyllum, <i>Willd.</i>	Trop. America	
✓ prionophyllum, <i>H. B. K.</i> ; see tetraphyllum.		
pubescens, <i>Schk.</i> ; see hispidulum.		
✓ pulverulentum, <i>L.</i>	"	
✓ reniforme, <i>L.</i>	Madeira and Teneriffe.	
var. asarifolium, (<i>Willd.</i>)	Mauritius.	
setulosum, <i>J. Sm.</i> ; see diaphanum.		
✓ subcordatum, <i>Sw.</i>	Trop. America	
sulphureum, <i>Kaulf.</i> ; see æthiopicum.		
tenerum, <i>Sw.</i>	"	
tetraphyllum, <i>Willd.</i>	"	
tinctum, <i>Moore.</i>	"	
✓ trapeziforme, <i>L.</i>	"	
✓ var. Catherinæ, <i>J. Sm.</i>	"	
✓ var. cultratum, <i>J. Sm.</i>	"	
var. pentadactylon, <i>L. and F.</i>	"	
triangulatum, <i>Kaulf.</i> ; see intermedium.		

Name.	Locality.	Additions.
ADIANTUM—cont.		
velutinum, <i>Moore</i>	Trop. America	
villosum, <i>L.</i>	"	
Wilesianum, <i>Hook.</i> ; see crenatum.		
Wilsoni, <i>Hook.</i> ; see dolosum.		
ALEURITOPTERIS ; see Cheilanthes.		
ALLANTODIA , <i>Hort.</i> ; see Asplenium.		
ALLOSORUS ; see Pellaea and Cryptogramme.		
ALSOPHILA , <i>R. Br.</i> :		
aculeata, <i>J. Sm.</i> ; see ferox.		
armata, <i>Presl</i>	Trop. America	
atrovirens, <i>Presl</i>	"	
australis, <i>R. Br.</i>	Australia.	
blechnoides, <i>Hook.</i>	Trop. America	
Cooperi, <i>Hook.</i> ; see excelsa.		
excelsa, <i>R. Br.</i>	Norfolk Island.	
var, Cooperi, <i>Hook.</i> ...	Australia.	
ferox, <i>Presl</i>	Trop. America	
Fischeriana, <i>Presl</i> ; see Polypodium splendidum.		
phalerata, <i>Mart.</i>	"	
pruinata, <i>Kaulf.</i>	"	
radens, <i>Kaulf.</i> ; see atro-virens.		
sagittifolia, <i>Hook.</i>	Trinidad.	
Taenitis, <i>Hook.</i>	Brazil.	
AMPHICOSMIA ; see Hemite- lia.		
ANAPELTIS ; see Polypodium.		
ANCHISTEA ; see Wood- wardia.		
ANEMIA , <i>Swartz.</i> :		
adiantifolia, <i>Sw.</i>	Trop. America	
cheilanthoides, <i>Kaulf.</i> ; see tomentosa.		
collina, <i>Raddi.</i>	Brazil.	
Dregeana, <i>Kunze</i>	Natal.	
ferruginea, <i>H.B.K.</i> ; see tomentosa.		
fraxinifolia, <i>Raddi.</i> ; see Phyllitidis.		
hirta, <i>J. Sm. non Sw.</i> ; see collina.		
mandioccana, <i>Raddi.</i>	Brazil.	
Phyllitidis, <i>Sw.</i>	Trop. America	
var. angustata, <i>Hort.</i> ..	"	
var. fraxinifolia, (<i>Raddi.</i>)	"	
tomentosa, <i>Sw.</i>	"	
var. cheilanthoides, (<i>Kaulf.</i>)	"	
var. ferruginea, (<i>H.B.</i> <i>K.</i>)	"	

ven. *lin.*

cont. and ...

macarthuri

longa

Name.	Locality.	Additions.
ANEMIDICTYON; <i>see</i> Anemia.		
ANETIUM; <i>see</i> Hemionitis.		
ANGIOPTERIS, <i>Hoffm.</i>		
<i>evecta</i> , <i>Hoffm.</i>	Tropics, &c. of Old World.	
<i>var. assamica</i> , (<i>De Vriese.</i>)	Assam.	
<i>var. Brongniartiana</i> , (<i>De Vriese.</i>)	Tahiti.	
<i>var. hypoleuca</i> , (<i>De Vriese.</i>)	Java.	
<i>var. Miqueliana</i> , (<i>De Vriese.</i>)	„	
<i>var. pruinosa</i> , (<i>Kze.</i>) ..	„	
<i>var. Teysmanniana</i> , (<i>De Vriese.</i>)	„	
ANISOGONIUM; <i>see</i> Asplenium.		
ANTIGRAMMA; <i>see</i> Scolopendrium.		
ARTHROPTERIS; <i>see</i> Polypodium tenellum and Nephrolepis.		
ASPIDIUM, <i>Swartz.</i> :		
<i>abbreviatum</i> , <i>Schrad.</i> ...	Trop. America	
<i>acrostichoides</i> , <i>Sw.</i>	N. America.	
<i>aculeatum</i> , <i>Sw.</i>	Ubiquitous.	
<i>var. angulare</i> , (<i>Willd.</i>)	„	
<i>var. Braunii</i> , (<i>Spen.</i>) .	Europe.	
<i>var. lobatum</i> , (<i>Sw.</i>) ...	Ubiquitous.	
<i>var. ordinatum</i> , (<i>Kze.</i>)	Trop. America	
<i>var. proliferum</i> , (<i>R.Br.</i>)	Australia.	
<i>var. vestitum</i> , (<i>Sw.</i>) ...	New Zealand, &c.	
<i>amabile</i> , <i>Blume.</i>	Japan, &c.	
<i>angulare</i> , <i>Willd.</i> ; <i>see</i> <i>aculeatum</i> .		
<i>aristatum</i> , <i>Sw.</i>	Trop. Asia.	
<i>var. conifolium</i> , <i>Wall.</i>	„	
<i>auriculatum</i> , <i>Sw.</i>	East Indies.	
<i>Braunii</i> , <i>Spenn</i> ; <i>see</i> <i>aculeatum</i> .		
<i>capense</i> , <i>Willd.</i>	S. Temp. zone, &c.	
<i>caryotideum</i> , <i>Wall.</i> ; <i>see</i> <i>falcatum</i> .		
<i>confertum</i> , <i>Kaulf.</i> ; <i>see</i> <i>meniscioides</i> .		
<i>conifolium</i> , <i>Wall.</i> ; <i>see</i> <i>aristatum</i> .		
<i>coriaceum</i> , <i>Sw.</i> ; <i>see</i> <i>capense</i> .		
<i>falcatum</i> , <i>Sw.</i>	Japan. &c.	
<i>var. caryotideum</i> , (<i>Wall.</i>)	E. Indies, &c.	
<i>var. Fortunei</i> , (<i>J.Sm.</i>)	Japan.	
<i>flexum</i> , <i>Kunze.</i>	Juan Fernandez.	
<i>frondosum</i> , <i>Lowe</i>	Madeira.	

Name.	Locality.	Additions.
ASPIDIUM—cont.		
heracleifolium, Willd.; see trifoliatum.		
laserpitiifolium, Mett. ...	Japan.	
lepidocaulon, Hook.	„	
lobatum, Swartz; see aculeatum.		
Lonchitis, Sw.	N. temp. zone.	
membranaceum, Hook. ..	Trop. Asia.	
meniscioides, Schrad. ...	Trop. America	
mucronatum, Sw.	West Indies.	
ordinatum, Kze.; see aculeatum.		
Plumieri, Presl; see tri- foliatum.		
proliferum, R. Br.; see aculeatum.		
repandum, Willd.	Trop. Asia.	
Richardi, Hook.	New Zealand.	
semicordatum, Sw.	Trop. of Asia and America.	
Standishii, Hort.; see la- serpitiifolium.		
triangulum, Sw.	West Indies.	
trifoliatum, Sw.	Trop. America	
var. heracleifolium, Willd.	„	
var. Plumieri, Presl....	„	
varium, Sw.	Japan, &c.	
vestitum, Sw.; see acule- atum.		
see also Nephrodium.		
ASPLENIUM. Linn.:		
acutum, Willd.; see Adi- antum-nigrum.		
Adiantum-nigrum, L. ...	N. and S. temp. zones.	
var. acutum, (Willd.).	„	
alatum, H. B. K.	Trop. America	
alternans, Wall.	Himalayas.	
alternifolium, Wulf.; see germanicum.		
anceps, Sol.; see Tricho- manes.		
anisophyllum, Kze.	Natal.	
appendiculatum, Lab.; see bulbiferum.		
arborescens, Hort.; see nigropaleaceum.		
attenuatum, R. Br.	Australia.	
auritum, Sw.	Trop. America	
var. dispersum, (Kze.)	„	
var. macilentum, (Kze.)	„	
var. rigidum, (Sw.) ...	„	
australasicum, Hook.; see Nidus.		
australe, Brack; see umbrosum.		
axillare, Ait.; see um- brosum.		

Name.	Locality.	Additions.
<i>ASPLENIUM—cont.</i>		
Belangeri, <i>Kze.</i>	Malayan Is- land.	
bifidum, <i>Presl</i> ; see line- atum.		
bisectum, <i>Sw.</i>	Trop.America	
brasiliense, <i>Raddi.</i> ; see erectum.		
brevisorum, <i>J. Sm.</i> ; see conchatum.		
Brownii, <i>J. Sm.</i> ; see um- brosum.		
bulbiferum, <i>Forst.</i>	Australia, &c.	
var. Fabianum, <i>H. & J.</i>	"	
canariense, <i>Willd.</i> ; see furcatum.		
caudatum, <i>Forst.</i>	Trop. and sub- trop. regions.	
celtidifolium, <i>Kze.</i>	Trop.America	
✓ Ceterach, <i>L.</i>	Europe and temp. Asia.	
cirrhatum, <i>Rich.</i> ; see rhi- zophorum.		
cicutarium, <i>Sw.</i>	Trop.America	
coarctatum, <i>Link</i> ; see Shepherdii.		
compressum, <i>Sw.</i>	St. Helena.	
conchatum, <i>Moore</i>	West Indies.	
contiguum, <i>Kaulf.</i>	Polynesia, &c.	
cordifolium, var. integri- folium, <i>Bl.</i>	Malaya.	
crenulatum, <i>Baker</i>	Trop.America	
crenulatum, <i>Presl</i> ; see serratum.		
cyrtopteron, <i>Kze.</i> ; see rhizophorum.		
Dalhousiæ, <i>Hook.</i> ; see alternans.		
decussatum, <i>Sw.</i>	Tropics of Old World.	
✓ decussatum, <i>Wall.</i> ; see japonicum.		
dentatum, <i>L.</i>	West Indies.	
dilatatum, <i>Hook.</i> ; see latifo- lium and Smithianum.		
✓ dimorphum, <i>Kze.</i>	Norfolk Island.	
dispersum, <i>Kze.</i> ; see auritum.		
diversifolium, <i>Cunn.</i> ; see dimorphum.		
dubium, <i>Mett.</i> ; see radi- cans.		
ebeneum, <i>Ait.</i>	Temp.regions.	
elegantulum, <i>Hook.</i> ; see incisum.		
erectum, <i>Bory.</i>	Tropics, &c., ubiquitous.	
var. tenellum, (<i>Roxb.</i>)	St. Helena and Ascension.	
var. brasiliense, (<i>Raddi.</i>)	Trop.America	
var. pteropus, (<i>Kaulf.</i>)	"	

Name.	Locality.	Additions.
ASPLENIUM—cont.		
esculentum, <i>Presl.</i>	Trop. Asia.	
Fabianum, <i>H. and J.</i> ; see bulbiferum.		
falcatum, <i>Lam.</i>	Trop. and sub- trop, O. World.	
Filix-fœmina, <i>Bernh.</i> ...	Ubiquitous.	
var. molle, <i>Roth.</i>	"	
var. plumosum, <i>J. Sm.</i>	England.	
var. rhæticum, <i>Roth.</i>	Ubiquitous.	
var. tenerifrons, <i>Moore.</i>	East Indies.	
firmum, <i>Kze.</i>	Trop. America	
flabellifolium, <i>Cav.</i>	Australia.	
flaccidum, <i>Forst.</i>	"	
flavescens, <i>Mett.</i>	Trop. America	
fœcundum, <i>Kze.</i> ; see compressum.		
fontanum, <i>Bernh.</i>	N. temp. zone.	
var. Halleri, (<i>Spr.</i>) ...	"	
var. refractum, <i>Moore.</i>	"	
formosum, <i>Willd.</i>	Trop. America	
fragrans, <i>Sw.</i>	"	
Franconis, <i>Mett.</i>	"	
furcatum, <i>Thunb.</i>	Trop. and sub- trop. regions.	
✓ germanicum, <i>Weis.</i>	Europe.	
gemmaferum, <i>Schrad.</i> ...	Cape.	
grandifolium, <i>Sw.</i>	Trop. America	
Halleri, <i>Spreng.</i> ; see fon- tanum.		
heterodon, <i>Blume</i> ; see vulcanicum.		
incisum, <i>Thunb.</i>	Japan.	
inæquale, <i>Kze.</i> ; see line- atum.		
japonicum, <i>Thunb.</i>	Japan.	
lanceolatum, <i>Huds.</i>	West Europe.	
✓ lanceum, <i>Thunb.</i>	Japan.	
laserpitiifolium, <i>Lam.</i> ...	Trop. Asia, &c.	
latifolium, <i>Don.</i>	Trop. Asia.	
laxum, <i>R. Br.</i> ; see bulbiferum.		
lineatum, <i>Sw.</i>	Mauritius.	
var. bifidum, <i>Presl.</i> ...	"	
longicauda, <i>Hook.</i>	Trop. Africa.	
lucidum, <i>Forst.</i> ; see ob- tusatum.		
macilentum, <i>Kze.</i> ; see auritum.		
macrophyllum, <i>Sw.</i>	Trop. Asia.	
malabaricum, <i>Spreng.</i> ; see esculentum.		
marginatum, <i>L.</i>	Trop. America	
marinum, <i>L.</i>	Europe, &c.	
mexicanum, <i>M. and G.</i> ; see fragrans.		
✓ Michauxii, <i>Spreng.</i> ; see Filix-fœmina.		
monanthemum, <i>L.</i>	Temp. regions.	
myriophyllum, <i>Presl.</i>	Trop. America	

Name.	Locality.	Additions.
ASPLENIUM—cont.		
Nidus, <i>L.</i>	Trop.O.World.	
var. australasicum, <i>Hook.</i>	Australia.	
var. Phyllitidis, <i>Don.</i>	Himalayas.	
nigro-paleaceum, <i>Baker</i>	St. Helena.	
niponicum, <i>Mett.</i>	Japan.	
nitens, <i>Sw.</i>	Mauritius.	
nitidum, <i>Sw.</i>	Trop. Asia.	
obliquum, <i>Forst.</i> ; see obtusatum.		
obtusatum, <i>Forst.</i>	Australia, &c.	
var. lucidum, <i>Forst.</i> ..	"	
var. obliquum, <i>Forst.</i>	"	
obtusilobum, <i>Hook.</i>	Polynesia.	
oligophyllum, <i>Klf.</i>	Trop.America	
Otites, <i>Link.</i> ; see pulchellum.		
Petrarchæ, <i>D.C.</i>	S. Europe.	
Phyllitidis, <i>Don</i> ; see Nidus.		
pinnatifidum, <i>Nutt.</i>	N. America.	
plantagineum, <i>L.</i>	Trop.America	
platybasis, <i>Kunze.</i>	St. Helena.	
polyodon, <i>Forst.</i> ; see falcatum.		
polypodioides, <i>Mett.</i>	Trop. Asia.	
præmorsum, <i>Sw.</i> ; see furcatum.		
proliferum, <i>Lam.</i> ; see decussatum.		
pteropus, <i>Kaulf.</i> ; see erectum.		
pulchellum, <i>Raddi.</i>	Brazil.	
rachirhizon, <i>Raddi.</i> ; see rhizophorum.		
radicans, <i>Schk.</i>	Trop.America	
reclinatum, <i>Moore</i> ; see erectum.		
refractum, <i>Moore</i> ; see fontanum.		
rhizophorum, <i>L.</i>	Trop.America	
var. cirrhatum, <i>Rich.</i> ..	"	
var. rachirhizon, <i>Raddi</i>	"	
rutæfolium, <i>Kze.</i>	Cape.	
Ruta-muraria, <i>L.</i>	N. temp. zone.	
salicifolium, <i>L.</i>	Trop.America	
septrionale, <i>Hoffm.</i> ...	N. temp. zone.	
Serra, <i>L. and F.</i>	Trop.America	
serratum, <i>L.</i>	"	
var. crenulatum, <i>Presl.</i>	"	
Shepherdi, <i>Spreng.</i>	"	
var. coarctatum, <i>Link.</i>	"	
sinuatum, <i>Beauv.</i>	Trop. Africa.	
Smithianum, <i>Baker.</i>	Ceylon.	
speciosum, <i>Mett.</i>	Trop. Asia.	
squamulatum, <i>Bl.</i>	"	
var. stipitatum, <i>Hook.</i>	Malaya.	
striatum, <i>Auct.</i> ; see Shepherdi and dubium.		
sylvaticum, <i>Presl.</i>	Tropics.	

Name.	Locality.	Additions.
ASPLENIUM — <i>cont.</i>		
tenellum, <i>Roxb.</i> ; see erectum.		
tenerifrons, <i>Moore</i> ; see <i>Filix-fœmina</i> .		
✓ thelypteroides, <i>Mich.</i> ...	United States, &c.	
Thwaitesii, <i>A. Br.</i>	Ceylon, &c.	
Trichomanes, <i>L.</i>	Temp. regions.	
var. anceps, <i>Sol.</i>	Madeira.	
umbrosum, <i>J. Sm.</i>	"	
var. axillare, <i>Ait.</i>	"	
var. australe, <i>Brack.</i>	Australia, &c.	
Veitchianum, <i>Moore</i> ; see <i>Belangeri</i> .		
✓ viride, <i>Huds.</i>	N. temp. zone.	
viviparum, <i>Presl.</i>	Mauritius.	
vulcanicum, <i>Blume.</i>	Malaya.	
zeylanicum, <i>Hook.</i>	Ceylon.	
ATHYRIUM ; see <i>Asplenium</i> .		
BALANTIUM ; see <i>Dicksonia</i> .		
BLECHNUM , <i>Linn.</i> :		
✓ australe, <i>L.</i>	Cape & temp. S. America.	
boreale, <i>Sw.</i> ; see <i>Lomaria Spicant.</i>		
brasiliense, <i>Desv.</i>	Trop. America	
var. corcovadense, (<i>Raddi.</i>)	"	
cartilagineum, <i>Sw.</i>	Australia.	
cognatum, <i>Presl.</i> ; see occidentale.		
corcovadense, <i>Raddi.</i> ; see brasiliense.		
fraxineum, <i>Willd.</i> ; see longifolium.		
glandulosum, <i>Link.</i> ; see occidentale.		
gracile, <i>Kaulf.</i> ; see longifolium.		
hastatum, <i>Kaulf.</i> ; see australe.		
intermedium, <i>Klf.</i> ; see longifolium.		
Lanceola, <i>Sw.</i>	Trop. America	
longifolium, <i>H. B. K.</i> ...	"	
var. gracile, (<i>Kaulf.</i>)	"	
var. fraxineum, (<i>Willd.</i>)	"	
var. intermedium, (<i>Kaulf.</i>)	"	
nitidum, <i>Presl.</i>	Trop. America and Asia.	
occidentale, <i>L.</i>	Trop. America	
var. campylotis, <i>Kze.</i>	"	
var. cognatum, <i>Presl.</i>	"	
var. glandulosum, <i>Link.</i>	"	
polypodioides, <i>Raddi.</i> ; see unilaterale.		
serrulatum, <i>Rich.</i>	Australia and Trop. America	

Name.	Locality.
BLECHNUM—cont.	
triangulare, <i>Link</i> ; see unilaterale.	
trifoliatum, <i>Kaulf.</i> ; see Lanceola.	
unilaterale, <i>Willd.</i>	Trop. America
volubile, <i>Kaulf.</i>	"
BOTRYCHIUM, Sw.	Trop. Asia.
lanuginosum, <i>Wall.</i>	"
lunarioides, see ternatum.	
ternatum, <i>Sw.</i>	N. and S. temp. zones.
BRAINEA, J. Sm.:	
insignis, <i>J. Sm.</i>	Hong Kong and Khasia.
CÆNOPTERIS ; see Asplenium.	
CALLIPTERIS ; see Asplenium.	
CAMPYLONEURON ; see Polypodium.	
CAMPTOSORUS ; see Scolopendrium.	
CAMPTERIA ; see Pteris.	
CEPHALOMANES ; see Trichomanes.	
CEROPTERIS ; see Gymnogramme.	
CETERACH ; see Asplenium.	
CHEILANTHES, Sw.	
Borsigiana, <i>Reich.</i> ; see Notochlæna sulphurea.	
chlorophylla, <i>Sw.</i>	Trop. America
Ellisiana, <i>Hort.</i> ; see hirta.	
farinosa, <i>Kaulf.</i>	Tropics everywhere.
var. mexicana, (<i>Fée.</i>)	Trop. America
fragrans, <i>W. and B.</i>	Europe, &c.
hirta, <i>Sw.</i>	S. Africa.
lendigera, <i>Sw.</i>	Trop. America
microphylla, <i>Sw.</i>	"
var. micromera, <i>Link.</i>	"
multifida, <i>Sw.</i>	St. Helena, &c.
myriophylla, <i>Desv.</i>	Trop. America
odora, <i>Sw.</i> ; see fragrans.	
Preissiana, <i>Kunze</i> ; see Sieberi.	
radiata, <i>R. Br.</i>	"
rufa, <i>Desv.</i>	Himalayas.
Sieberi, <i>Kunze</i>	Australia and N. Zealand.
spectabilis, <i>Kaulf.</i> ; see chlorophylla.	
see also Pellœa.	
CHRYSODIUM ; see Acrostichum.	
CIBOTIUM ; see Dicksonia.	
CINCINALIS ; see Notochlæna.	
CIONIDIUM ; see Deparia.	
CONIOGRAMME, Fée ; see Gymnogramme.	

Additions.

Botrychium fumaria

Name.	Locality.	Additions.
CRASPEDARIA; see Polypodium.		
CRYPTOGRAMMA, <i>R. Br.</i> :		
<i>crispa</i> , <i>R. Br.</i>	N. temp. zone.	
CYATHEA, <i>Smith</i> :		
<i>aculeata</i> , <i>J. Sm.</i> ; see arborea.		
<i>arborea</i> , <i>Sm.</i>	Trop. America	
<i>var. muricata</i> , (<i>J. Sm.</i>)	„	
<i>Beyrichiana</i> , <i>Presl.</i>	„	
<i>canaliculata</i> , <i>Sw.</i>	Mauritius.	
<i>dealbata</i> , <i>Sw.</i>	New Zealand.	
<i>elegans</i> , <i>Heward</i> ; see arborea.		
<i>excelsa</i> , <i>Sw.</i>	Mauritius.	
<i>Imrayana</i> , <i>Hook.</i>	West Indies.	
<i>medullaris</i> , <i>Sw.</i>	New Zealand.	
<i>muricata</i> , <i>J. Sm.</i> ; see arborea.		
<i>princeps</i> , <i>J. Sm.</i>	Trop. America	
<i>sinuata</i> , <i>H. and G.</i>	Ceylon.	
CYCLODIUM; see Aspidium.		
CYCLOPELTIS; see Aspidium.		
CYRTOGONIUM; see Acrostichum.		
CYRTOMIUM; see Aspidium.		
CRYPTOPHLEBIUM; see Polypodium.		
CYSTOPTERIS, <i>Bernh.</i> :		
<i>alpina</i> , <i>Desv.</i>	Europe.	
<i>bulbifera</i> , <i>Bernh.</i>	N. America.	
<i>fragilis</i> , <i>Bernh.</i>	Cosmopolitan.	
<i>var. dentata</i> , <i>Hook.</i> ...	„	
<i>var. sempervirens</i> , <i>Moore.</i>	Madeira.	
<i>montana</i> , <i>Link.</i>	Europe.	
<i>tenuis</i> , <i>Schott</i> ; see <i>fragilis</i> .		
DAREA; see Asplenium.		
DAVALLIA, <i>Smith</i> :		
<i>aculeata</i> , <i>Sm.</i>	West Indies.	
<i>affinis</i> , <i>Hook.</i>	Trop. and sub-trop. Asia.	
<i>alpina</i> , <i>Blume</i>	Malaya, &c.	
<i>angustata</i> , <i>Wall.</i>	Trop. Asia.	
<i>bullata</i> , <i>Wall.</i>	Malaya.	
<i>canariensis</i> , <i>Sm.</i>	Europe and Canaries.	
<i>var. pulchella</i> , <i>Hort.</i> ..	„	
<i>caudata</i> , <i>Cav.</i> ; see <i>solida</i> .		
<i>chærophylla</i> , <i>Wall.</i>	East Indies.	
<i>ciliata</i> , <i>Hook.</i>	Philippines.	
<i>concinna</i> , <i>Schrad.</i>	Cape and S. America.	
<i>cristata</i> , <i>J. Sm.</i> ; see <i>strigosa</i> .		
<i>Cumingii</i> , <i>Hook.</i>	Philippines.	
<i>decora</i> , <i>Moore</i> ; see <i>bullata</i> .		
<i>dissecta</i> , <i>J. Sm.</i> ; see <i>elegans</i> .		
<i>divaricata</i> , <i>Blume</i>	Malaya.	
<i>elata</i> , <i>Sw.</i> ; see <i>elegans</i> .		

Name.	Locality.	Additions.
DAVALLIA—cont.		
<i>elegans</i> , Sw.	Trop. Asia, &c.	
<i>var. elata</i> , (Sw.)	"	
<i>var. dissecta</i> , (J. Sm.)	"	
<i>heterophylla</i> , Sm.	"	
<i>hirta</i> , Kaulf.	Trop. and sub-trop. Asia.	
<i>immersa</i> , Wall.	"	
<i>khasyana</i> , Hook.; see <i>strigosa</i> .		
<i>Lindleyi</i> , Hook.; see <i>solida</i> .		
<i>lonchitidea</i> , Wall.; see <i>platyphylla</i> .		
<i>membranulosa</i> , Wall. ...	East Indies.	
<i>Novæ-zelandiæ</i> , Cot. ...	New Zealand.	
<i>ornata</i> , Wall.; see <i>solida</i> .		
<i>parvula</i> , Wall.	Malaya.	
<i>pectinata</i> , Sm.	Polynesia.	
<i>pedata</i> , Sm.	Trop. and sub-trop. Asia.	
<i>pentaphylla</i> , Bl.	Malaya.	
<i>platyphylla</i> , Don.	East Indies.	
<i>polypodioides</i> , Don; see <i>Speluncæ</i> .		
<i>pulchra</i> , Don.	Himalayas.	
<i>pyxidata</i> , Cav.	Australia.	
<i>scabra</i> , Don.	E. Indies, &c.	
<i>solida</i> , Sw.	Trop. Asia and Africa.	
<i>var. caudata</i> , Cav. ...	"	
<i>var. ornata</i> , Wall. ...	"	
<i>Speluncæ</i> , Baker.	Tropics, ubiquitous.	
<i>strigosa</i> , Sw.	Trop. and sub-trop. Asia.	
<i>tenuifolia</i> , Sw.	Tropics of Old World.	
<i>Thwaitesii</i> , Baker.	Ceylon.	
<i>trichosticha</i> , Hook.; see <i>Speluncæ</i> .		
<i>villosa</i> , Wall.; see <i>scabra</i> .		
DENNSTÆDTIA; see Dicksonia.		
DEPARIA, H. and G.:		
<i>Moorei</i> , Hook.	N. Caledonia.	
DICKSONIA, Sm.:		
<i>antarctica</i> , Lab.	Australia.	
<i>arborescens</i> , L'Herit. ...	St. Helena.	
<i>Barometz</i> , Link.	Sub-trop. Asia	
<i>cicutaria</i> , Sw.	Trop. America	
<i>Culcita</i> , L'Herit.	Madeira, Azores, and Spain.	
<i>davallioides</i> , R. Br.	Australia.	
<i>lanata</i> , Colenso; see <i>antarctica</i> .		
<i>Menziesii</i> , H. and B. ...	Sandwich Isles	
<i>obtusifolia</i> , Willd.	Trop. America	
<i>pilosiuscula</i> ; see <i>punctilobula</i> .		
<i>Plumieri</i> , Hook.	"	

Name.	Locality.	Additions.
DICKSONIA— <i>cont.</i>		
punctilobula, <i>Hook.</i>	N. America.	
rubiginosa, <i>Kaulf.</i>	Trop. America.	
Schiedei, <i>H. and B.</i> ...	"	
squarrosa, <i>Sw.</i>	New Zealand,	
var. <i>Youngiæ</i> , <i>C. Moore</i>	Australia.	
DICRANOGLOSSUM; see		
Tænitis.		
DICTYMIA; see Polypodium		
Brownii.		
DICTYOPTERIS; see Poly-		
podium.		
DICTYOXIPHIMUM, <i>Hook.</i> :		
panamense, <i>Hook.</i>	Trop. America	
DIDYMOCHLÆNA, <i>Desv.</i> :		
lunulata, <i>Desv.</i>	Tropics every-	
	where.	
polycarpa, <i>Baker.</i>	Malaya.	
truncatula, <i>J. Sm.</i> ; see		
lunulata.		
DIPLAZIUM; see Asplenium.		
DISPHENIA; see Cyathea.		
DOODIA, <i>R. Br.</i> :		
aspera, <i>R. Br.</i>	Australia.	
blechnoides, <i>Cun.</i>	"	
caudata, <i>R. Br.</i>	Australia and	
	N. Zealand.	
var. <i>fragans</i> , <i>Hort.</i> ...	Australia.	
var. <i>linearis</i> , <i>J. Sm.</i> ..	"	
dives, <i>Kze.</i>	Ceylon.	
lunulata, <i>R. Br.</i> ; see media.		
media, <i>R. Br.</i>	Australia and	
	N. Zealand.	
var. <i>lomariacea</i> ; see	"	
Lomaria stricta,		
<i>Hort.</i>		
DORYOPTERIS; see Pteris.		
DRYMOGLOSSUM, <i>Presl</i> :		
piloselloides, <i>Presl.</i>	Trop. Asia.	
DRYNARIA; see Polypodium.		
diversifolia, <i>J. Sm.</i> ; see		
Polypodium rigidulum.		
morbillosa, <i>J. Sm.</i> ; see		
P. Heracleum.		
EGENOLFIA; see Acrosti-		
chum.		
ELAPHOGLOSSUM; see A-		
crostichum.		
EUPODIUM; see Marattia.		
FADYENIA, <i>Hook.</i>	West Indies.	
prolifera, <i>Hook.</i>	"	
FEEA; see Trichomanes.		
GLEICHENIA, <i>Smith</i> :		
circinata, <i>Sw.</i>	Australia and	
	N. Zealand.	
var. <i>microphylla</i> , <i>R. Br.</i>	"	
var. <i>semivestita</i> , <i>Lab.</i> ..	"	
dicarpa, <i>R. Br.</i>	"	

Name.	Locality.	Additions.
GLEICHENIA—cont.		
dichotoma, <i>Willd.</i>	Trop. and sub- trop., ubiqui- tous.	
flabellata, <i>R.Br.</i>	Australia, &c.	
GONIOPHLEBIUM; see Poly-		
podium.		
GONIOPTERIS; see Polypo-		
dium.		
scolopendrioides, <i>J. Sm.</i> ;		
see <i>Nephrodium.</i>		
GYMNOGRAMMA, <i>Desv.</i>:		
asplenioides, <i>Kaulf.</i>	Trop. America	
calomelanos, <i>Kaulf.</i>	"	
var. chrysophylla,	"	
(<i>Kaulf.</i>)		
var. <i>L'Herminieri</i> , (<i>Link</i>)	"	
var. <i>Martensii</i> , (<i>Kaulf.</i>)	"	
caudiformis, <i>Hook.</i>	Trop. Asia.	
chrysophylla; see calo-		
melanos.		
decurrens, <i>Hook.</i> ; see		
elliptica.		
diplazioides, <i>Desv.</i>	Trop. America	
elliptica, <i>Baker</i>	Trop. Asia, &c.	
ferruginea, <i>Kze.</i>	Trop. America	
gracilis, <i>Hew.</i>	West Indies.	
japonica, <i>Hook.</i>	Japan, &c.	
javanica, <i>Blume</i>	Trop. Asia, &c.	
<i>L'Herminieri</i> , <i>Link</i> ; see		
calomelanos.		
<i>Linkiana</i> , <i>Kze.</i> ; see dip-		
lazioides.		
<i>Lowe</i> , <i>H. and G.</i> ; see		
<i>Totta.</i>		
<i>Pearcei</i> , <i>Moore.</i>	Peru.	
pulchella, <i>Lind.</i>	Trop. America	
var. <i>Wettenhalliana</i> ,	"	
<i>Hort.</i>		
rufa, <i>Desv.</i>	"	
rupestris; see <i>diplazioides.</i>		
sulphurea, <i>Desv.</i>	West Indies.	
tartarea, <i>Desv.</i>	Trop. America	
var. <i>ochracea</i> , <i>Presl.</i> ...	"	
var. <i>Steltzneri</i> , <i>Koch.</i>	"	
tomentosa, <i>Desv.</i>	"	
trifoliata, <i>Desv.</i>	"	
<i>Totta</i> , <i>Schlecht.</i>	Cape, Ma- deira, &c.	
villosa, <i>Link.</i>	Trop. America	
GYMNOPTERIS; see <i>Acros-</i>		
tichum.		
HAPLOPTERIS; see <i>Vittaria.</i>		
HELMINCHOSTACHYS;		
<i>Kaulf.</i>		
dulcis, <i>Kaulf.</i> ; see <i>zey-</i>		
lanica.		
zeylanica, <i>Hook.</i>	Trop. Asia, &c.	
HEMIDICTYUM; see <i>Asple-</i>		
nium.		

Name.	Locality.	Additions.
HEMIONITIS, L.:		
citrifolia, Hook.	Trop. America	
cordata, Roxb.	East Indies.	
palmata, L.	Trop. America	
HEMITELIA, R. Br.:		
grandifolia, Spreng; see speciosa.		integerrima
guianensis, Hook.	"	
var. Hostmanni, Hook.	"	
horrida, R. Br.	"	
var. Imrayana, Hook.	"	
Karsteniana, Klotzsch ...	Columbia.	
Smithii, Hook.	New Zealand.	
speciosa, Hook.	Trop. America	
surinamensis, Miq.; see guianensis.		
HUMATA; see Davallia.		
HYMENODIUM; see Acrostichum.		
HYMENOLEPIS; see Acrostichum.		
HYMENOPHYLLUM, Sm.:		
asplenioides, Sw.	Trop. America, &c.	
caudiculatum, Mart. ...	"	
var. Francavillei, V.D.B.	"	
ciliatum, Sw.	"	
crispatum; see javanicum.		
demissum, Sw.	Australia and N. Zealand.	
flabellatum, Lab.	"	
hirsutum, Sw.	Trop. America	
hirtellum, Sw.	"	
javanicum, Spreng.	Trop. Asia, &c.	
var. crispatum, (Wall.)	"	
lineare, Sw.	Trop. America	
polyanthos, Sw.	Tropics everywhere.	
Tunbridgense, Sw.	Ubiquitous.	
var. Wilsoni, Hook. ..	"	
HYPODERRIS, R. Br.:		
Brownii, J. Sm.	West Indies.	
HYPOLEPIS, Bernh.:		
distans, Hook.	New Zealand.	
repens, Presl.	Trop. America	
ISOLOMA; see Lindsaya.		
LASTREA; see Nephrodium.		
LEPICYSTIS; see Polypodium.		
LEPTOCHILUS; see Acrostichum.		
LEPTOGRAMME; see Gymnogramme.		
LEPTOPTERIS; see Todea.		
LEUCOSTEGIA; see Davallia.		
LINDSAYA, Dry.:		
botrychioides, S. Hil. ..	Trop. America	
cultrata, Sw.	Trop. and subtrop. Asia.	

not in the
place where
the Cul.
was first
dr. up.

Name.	Locality.	Additions.
LINDSAYA—cont.		
guianensis, <i>Dry.</i>	Trop. America	
lanuginosa, <i>Wall.</i>	Trop. Asia and Africa.	
parvula, <i>Fée.</i>	West Indies.	
trapeziformis, <i>Dry.</i>	Trop. America &c.	
LITOBROCHIA ; see Pteris.		
LLAVEA, Lag. :		
cordifolia, <i>Lag.</i>	Mexico.	
LOMARIA, Willd. :		
alpina, <i>Spreng.</i>	S. temp. zone.	
attenuata, <i>Willd.</i>	Trop. and S. temp. regions.	
var. gigantea, (<i>Kaulf.</i>)	Cape.	
blechnoides, <i>Bory.</i>	Chili.	
Boryana, <i>Willd.</i>	Trop. and S. temp. regions.	
capensis, <i>Schlecht ; see</i>		
procera.		
chilensis, <i>Kaulf. ; see</i>		
procera.		
ciliata, <i>Moore.</i>	N. Caledonia.	
discolor, <i>Willd.</i>	Australia and N. Zealand.	
elongata, <i>Blume.</i>	N. Zealand, &c.	
filiformis, <i>Cunn.</i>	"	
fluviatilis, <i>Spreng.</i>	Australia and N. Zealand.	
gibba, <i>Lab.</i>	N. Caledonia.	
gigantea, <i>Kaulf. ; see at-</i>		
tenuata.		
Gilliesii ; <i>Hook. and Grev. ;</i>		
see procera.		
lanceolata, <i>Spr.</i>	Australia.	
L'Herminieri, <i>Bory.</i>	Trop. America	
magellanica, <i>Desv ; see</i>		
Boryana.		
nuda, <i>Willd. ; see disco-</i>		
lor.		
onocleoides, <i>Spreng.</i>	Trop. America	
Patersoni, <i>Spreng.</i>	Australia.	
procera, <i>Spreng.</i>	" &c.	
var. striata, <i>Willd.</i> ...	"	
pumila, <i>Raoul.</i>	New Zealand.	
punctulata, (<i>Kze.</i>)	Cape.	
var. Krebsii, (<i>Kze.</i>) ;		
see Scolopendrium		
Krebsii, <i>Kze.</i>		
Spicant, <i>Desv.</i>	N. temp. zone.	
tuberculata, <i>J. Sm. ; see</i>		
procera.		
LOMARIOPSIS ; see Acrostichum.		
LONCHITIS, Linn. :		
pubescens, <i>Willd.</i>	Tropics.	
var. natalensis, (<i>Hook.</i>)	Natal.	
LOPHOLEPIS ; see Polypodium.		
LOPHOSORIA ; see Alsophila.		

Name.	Locality.	Additions.
LORINSERIA ; see Woodwardia.		
LOTZEA ; see Asplenium.		
LYGODICTYON ; see Lygodium.		
LYGODIUM, Sw. :		
3 dichotomum, Sw.	Trop. America	
flexuosum, J. Sm. ; see dichotomum.		
japonicum, Sw.	Tropics, &c., Old World.	
✓ palmatum, Sw.	U. States.	
pinnatifidum, Sw.	Tropics, &c., Old World.	
reticulatum, Schk.	Polynesia.	
scandens, Sw.	Tropics, &c., Old World.	
MARATTIA, Smith :		
alata, Sm.	West Indies.	
Ascensionis, J. Sm. ; see fraxinea, var. purpurascens.		
cristata, J. Sm. ; see fraxinea, var. purpurascens.		
elegans, Endl. ; see fraxinea.		
fraxinea, Sm.	Tropics, &c., Old World.	
var. purpurascens, (De Vriese.)	Ascension Is- land.	
Kaulfussii, J. Sm.	Trop. America	
laxa, Kunze.	Mexico.	
MENISCIUM, Schreb. :		
giganteum, Mett.	Trop. America	
reticulatum, Sw.	"	
var. macrophyllum, (Kze.)	"	
serratum, Cav.	"	
simplex, Hook.	Trop. and sub- trop. Asia.	
Thwaitesii, Hook.	Ceylon.	
MERTENSIA ; see Gleichenia.		
MESOCHLÆNA ; see Didymochlæna.		
MICROLEPIA ; see Davallia.		
MICROSORUM ; see Polypodium.		
MOHRIA, Sw. :		
caffrorum, Desv.	Cape.	
thurifraga ; see caffrorum.		
MYRIOPTERIS ; see Cheilanthes.		
NEOTTOPTERIS ; see Asplenium.		
NEPHRODIUM, Rich. :		
✓ æmulum, Baker.	Britain, &c.	
affine, Lowe ; see Filix-mas.		

Name.	Locality.	Additions.
NEPHRODIUM— <i>cont.</i>		
albopunctatum, <i>Desv.</i> ...	Mauritius, &c.	
amplum, <i>Baker</i>	Trop. America	
atrovirens, <i>J. Sm.</i> ; see decompositum.		
✓ Arbuscula, <i>Desv.</i>	Trop. Asia and Mauritius.	
aujescens, <i>Fée</i> ; see <i>Serra</i> .		
✓ Barteri, <i>Baker</i>	Trop. Africa.	
✓ canum, <i>Baker</i>	Himalayas.	
✓ caripense, <i>Hook.</i>	Trop. America	
✓ chrysolobum, <i>Fée</i>	"	
✓ cicutarium, <i>Baker</i>	Tropics ubi- quitous.	
var. coadunatum, <i>(Wall.)</i>	Trop. Asia.	
cognatum, <i>Hook.</i>	St. Helena.	
crinitum, <i>Desv.</i>	Mauritius.	
✓ cristatum, <i>Mich.</i>	Europe and N. America.	
✓ cyatheoides, <i>Klf.</i>	Trop. Asia.	
✓ decompositum, <i>R. Br.</i> ...	Australia and N. Zealand.	
var. glabellum, <i>(Cunn.)</i>	"	
var. Shepherdii, <i>(Kze.)</i>	"	
✓ decurrens, <i>Baker</i>	Trop. Asia.	
var. Thwaitesii, <i>Baker</i>	Ceylon.	
✓ decursivo-pinnatum, <i>Baker.</i>	Trop. Asia.	
✓ deltoideum, <i>Desv.</i>	Trop. America	
✓ denticulatum, <i>Hook.</i>	"	
✓ deparioides, <i>Hook.</i>	Ceylon.	
✓ dilatatum, <i>Desv.</i> ; see spinulosum.		
divergens, <i>Willd.</i> ; see effusum.		
✓ effusum, <i>Baker</i>	Trop. America	
var. divergens, <i>Willd.</i>	"	
elongatum, <i>H. and G.</i> ; see <i>Filix-mas</i> .		
eriocarpum, <i>Dec.</i> ; see odoratum.		
✓ erythrosorum, <i>Hook.</i>	Japan.	
✓ falciculatum, <i>Desv.</i>	Trop. America	
✓ Filix-mas, <i>Desv.</i>	Temp. ubi- quitous.	
var. affine, <i>(F. and M.)</i>	"	
var. elongatum, <i>(Sw.)</i>	Sub-tropical regions.	
✓ Fœnisecii, <i>Lowe</i> ; see æmulum.		
✓ fragrans, <i>Rich.</i>	N. temp. zone.	
✓ giganteum, <i>Baker</i>	Trop. Asia.	
glabellum, <i>Cunn.</i> ; see decompositum.		
✓ Goldieanum, <i>Hook.</i>	N. America.	
✓ hirtipes, <i>Hook.</i>	Trop. Asia.	
✓ hispidum, <i>Hook.</i>	New Zealand.	
Hookeri, <i>J. Sm.</i> ; see Arbuscula.		
✓ immersum, <i>Hook.</i>	Trop. Asia.	

Name.	Locality.	Additions.
NEPHRODIUM— <i>cont.</i>		
<i>invisum</i> , <i>Baker</i>	Trop. America	
<i>Kaulfussii</i> , <i>Hook.</i>	"	
<i>lacerum</i> , <i>Baker</i>	Japan.	
<i>lancastriense</i> ; <i>see</i> <i>cris-</i> <i>tatum.</i>		
<i>latifrons</i> , <i>Hook.</i>	Sandwich Isles	
<i>macrophyllum</i> , <i>Baker</i> ...	Trop. Asia.	
<i>marginale</i> , <i>Mich.</i>	N. America.	
<i>melanocaulon</i> , <i>Baker</i>	Malaya.	
<i>molle</i> , <i>Desv.</i>	Ubiquitous.	
<i>var. violascens</i> , <i>Link.</i> .	"	
<i>montanum</i> , <i>Baker</i>	Europe.	
<i>Napoleonis</i> , <i>Bory</i>	St. Helena.	
<i>odoratum</i> , <i>Baker</i>	Trop. Asia, &c.	
<i>Oreopteris</i> , <i>Desv.</i> ; <i>see</i> <i>montanum.</i>		
<i>patens</i> , <i>Desv.</i>	Tropics, &c.	
<i>pennigerum</i> , <i>Hook.</i>	Trop. Asia, &c.	
<i>Pica</i> , <i>Baker</i>	Mauritius.	
<i>pilosissimum</i> , <i>J. Sm.</i> ; <i>see</i> <i>subquinquefidum.</i>		
<i>podophyllum</i> , <i>Hort. non</i> <i>Hook.</i> ; <i>see</i> <i>Sieboldii.</i>		
<i>polymorphum</i> , <i>Baker</i>	Trop. Asia, &c.	
<i>prolixum</i> , <i>Baker</i>	"	
<i>pteroides</i> , <i>J. Sm.</i>	"	
<i>Raddianum</i> , <i>Hook.</i> ; <i>see</i> <i>vestitum.</i>		
<i>recedens</i> , <i>Hook.</i>	Ceylon, &c.	
<i>refractum</i> , <i>Hook.</i>	Brazil.	
<i>rigidum</i> , <i>Desv.</i>	N. temp. zone.	
<i>sagenioides</i> , <i>Baker</i>	Trop. Asia.	
<i>sanctum</i> , <i>Baker</i>	Trop. America	
<i>scolopendrioides</i> , <i>Hook.</i> .	West Indies.	
<i>Serra</i> , <i>Desv.</i>	"	
<i>setigerum</i> , <i>Baker</i>	Japan and trop. Asia.	
<i>Sieboldii</i> , <i>Hook.</i>	Japan.	
<i>sparsum</i> , <i>Desv.</i>	Trop. Asia.	
<i>spectabile</i> , <i>Hook.</i> ; <i>see</i> <i>syrmaticum.</i>		
<i>spinulosum</i> , <i>Desv.</i>	N. temp. zone, &c.	
<i>var. dilatatum</i> , (<i>Desv.</i>)	"	
<i>var. lepidotum</i> , <i>Moore.</i>	Britain.	
<i>subquinquefidum</i> , <i>Hook.</i> ..	Trop. Africa, &c.	
<i>subtriphyllum</i> , <i>Baker</i>	Tropics.	
<i>syrmaticum</i> , <i>Baker</i>	Trop. Asia.	
<i>tenericaule</i> , <i>Hook.</i> ; <i>see</i> <i>setigerum.</i>		
<i>Thelypteris</i> , <i>Desv.</i>	N. and S. temp. zones.	
<i>unitum</i> , <i>R. Br.</i>	Trop. and sub- trop. regions.	
<i>variolosum</i> , <i>Baker</i>	Malaya.	
<i>venulosum</i> , <i>Hook.</i>	Trop. Africa.	

Name.	Locality.	Additions.
NEPHRODIUM— <i>cont.</i>		
<i>villosum</i> , Presl.....	Trop. America,	
✓ <i>var. spectabile</i> ; see <i>Phegopteris spectabilis</i> , Fée.		
NEPHROLEPIS, Schott:		
<i>acuta</i> , Presl.....	Tropics every- where.	
<i>var. curvata</i> , Presl.....	"	
✓ <i>var. hirsutula</i> , Presl...	"	
<i>biserrata</i> , Schott; see <i>acuta</i> .		
✓ <i>cordifolia</i> , Baker.....	"	
✓ <i>var. pectinata</i> , Schott..	Trop. America	
✓ <i>davallioides</i> , Kze.	Malaya.	
<i>ensifolia</i> , Presl; see <i>acuta</i> .		
<i>exaltata</i> , Schott.....	Tropics every- where.	
<i>var. Barteri</i>	W. trop. Africa	
✓ <i>hirsutula</i> , Presl; see <i>acuta</i> .		
<i>pectinata</i> , Schott; see <i>cordifolia</i> .		
✓ <i>tuberosa</i> , Presl; see <i>cordifolia</i> .		
<i>undulata</i> , J. Sm.; see <i>cordifolia</i> .		
NEUROCALLIS; see <i>Acrostichum</i> .		
NEURODIUM; see <i>Taenitis</i> .		
NIPHOBOLUS; see <i>Polypodium</i> .		
<i>rupestris</i> , Spr.; see <i>Polypodium</i> <i>serpens</i> .		
NIPHOPSIS; see <i>Polypodium</i> .		
NOTHOLÆNA, R. Br.:		
✓ <i>canariense</i> , J. Sm.; see <i>Marantæ</i> .		
<i>ferruginea</i> , Hook.	Trop. America	
✓ <i>flavens</i> , Moore.....	"	
✓ <i>Hookeri</i> , Lowe; see <i>nivea</i> .		
<i>lævis</i> , M. and G.; see <i>sinuata</i> .		
<i>lendigera</i> , J. Sm.; see <i>Cheilanthes lendigera</i> .		
✓ <i>Marantæ</i> , R. Br.	Europe, &c.	
<i>var. canariense</i> , J. Sm.	Canaries.	
✓ <i>nivea</i> , Desv.	Trop. America	
✓ <i>rufa</i> , Presl; see <i>ferruginea</i> .		
<i>sinuata</i> , Kaulf.....	"	
✓ <i>sulphurea</i> , J. Sm.	"	
✓ <i>tenera</i> , Gillies.....	Chili.	
<i>trichomanoides</i> , R. Br. ..	West Indies.	
OCHROPTERIS, J. Sm.:		
<i>pallens</i> , J. Sm.	Mauritius.	
ODONTOSORIA; see <i>Davallia</i> .		

Name.	Locality.	Additions.
<i>OLEANDRA, Cav. :</i>		
<i>articulata, Cav.</i>	Trop. Africa.	
<i>musæfolia, Kze.</i>	Trop. Asia.	
<i>neriiformis, Cav.</i>	Tropics every- where.	
<i>nodosa, Presl.</i>	Trop. America	
<i>OLFERSIA ; see Acrosti- chum.</i>		
<i>ONOCLEA, Linn. :</i>		
✓ <i>germanica, Willd.</i>	Europe and N. America.	
<i>Pennsylvanica, see ger- manica.</i>		
✓ <i>sensibilis, L.</i>	N. America.	
<i>ONYCHIUM, Kaulf. :</i>		
<i>japonicum, Kze.</i>	Japan and Hi- malayas.	
<i>lucidum, Spr. ; see ja- ponicum.</i>		
<i>OPHIOGLOSSUM, L. :</i>		
<i>pendulum, L.</i>	Tropics, Old World.	
<i>reticulatum, L.</i>	Tropics.	
<i>vulgatum, L.</i>	Ubiquitous.	
<i>OSMUNDA, L. :</i>		
✓ <i>cinnamomea, L.</i>	N. America, &c.	
✓ <i>Claytoniana, L.</i>	„	
✓ <i>interrupta, Mich. ; see Claytoniana.</i>		
<i>lancea, Thunb.</i>	Japan.	
✓ <i>regalis, L.</i>	N. and S. temp. regions.	
✓ <i>spectabilis, Willd. ; see regalis.</i>		
<i>PARAGRAMMA ; see Poly- podium.</i>		
<i>PELLÆA, Link ; adiantifolia, Hort. ; see hastata.</i>		
<i>alabamensis, Baker.</i>	Alabama.	
<i>atropurpurea, Link.</i>	N. America.	
✓ <i>Brownii, J. Sm. ; see paradoxa.</i>		
<i>consobrina, Hook.</i>	Cape.	
<i>cordata, J. Sm.</i>	Mexico.	
<i>var. flexuosa, (Link.)..</i>	„	
<i>falcata, Fée.</i>	Australia, &c.	
<i>geraniæfolia, Fée.</i>	Tropics ubi- quitous.	
<i>hastata, Link.</i>	Cape.	
<i>var. adiantoides, Hort.</i>	„	
<i>intramarginalis, J. Sm.</i>	Mexico.	
<i>paradoxa, Hook.</i>	Australia.	
<i>profusa, J. Sm.</i>	Cape.	
<i>rotundifolia, Hook.</i>	New Zealand.	
<i>ternifolia, Fée.</i>	Trop. America	
<i>PHEGopteris ; see Polypo- dium.</i>		
<i>lachnopoda, J. Sm. ; see Nephrodium amplum.</i>		

calomelano

Name.	Locality.	
<i>PHEGopteris</i> — <i>cont.</i>		
submarginalis, <i>J. Sm.</i> ;		
see <i>N. caripense</i> .		
trichodes, <i>J. Sm.</i> ;		
see <i>N. setigerum</i> .		
<i>PHLEBODIUM</i> ; see <i>Polypodium</i> .		
<i>PHYMATODES</i> ; see <i>Polypodium</i> .		
vulgare, <i>Presl</i> ; see <i>Polypodium Phymatodes</i> .		
<i>PLATYCERIUM</i> , <i>Desv.</i> :		
æthiopicum, <i>Hook.</i>	Trop. Africa.	
var. angolense, <i>Welw.</i>	"	
alcicorne, <i>Desv.</i>	Tropics and Australia.	
grande, <i>J. Sm.</i>	Trop. Asia and N. Australia.	
Stemmaria, <i>Desv.</i> ;		
see æthiopicum.		
<i>PLATYLOMA</i> ; see <i>Pellæa</i> .		
<i>PLEOPELTIS</i> ; see <i>Polypodium</i> .		
<i>PLEURIDIUM</i> ; see <i>Polypodium</i> .		
<i>PÆCILOPTERIS</i> , <i>Eschw.</i> ; see <i>Acrostichum</i> .		
<i>POLYBOTRYA</i> , <i>H. and B.</i> ;		
see <i>Acrostichum</i> .		
<i>POLYPODIUM</i> , <i>L.</i> :		
adnascens, <i>Sw.</i> ;		
see serpens.		
albopunctatissimum,		
<i>Lind.</i> ;		
see crassifolium.		
albosquamatum, <i>Blume</i> ...	Malaya.	
alpestre, <i>Hoppe.</i>	N. temp. zone.	
var. flexile, <i>Newm.</i> ...	Scotland.	
amplum, <i>H.B.K.</i> ;		
see <i>Nephrodium amplum</i> .		
angustatum, <i>Sw.</i>	Trop. Asia.	
angustifolium, <i>Sw.</i>	Trop. America	
var. ensifolium, (<i>Willd.</i>)	"	
appendiculatum, <i>Lind.</i> ;		
see plesiosorum.		
areolatum, <i>Willd.</i> ;		
see aureum.		
aureum, <i>L.</i>	Trop. America	
var. areolatum, (<i>H. B. K.</i>)	"	
var. pulvinatum,	"	
(<i>Link.</i>)		
var. sporodocarpon,	"	
(<i>Willd.</i>)		
bicolor, <i>Kaulf.</i> ;		
see serpens.		
Billardieri, <i>R. Br.</i>	Australia and N. Zealand.	
brevifolium, <i>Link.</i> ;		
see <i>Phyllitidis</i> .		
Brownii, <i>Wickst.</i>	Australia.	

Name.	Locality.	Additions.
POLYPODIUM— <i>cont.</i>		
✓ calcareum, <i>Sm.</i> ; see Dryopteris.		
Cameroonianum, <i>Hook.</i>	Trop. Africa.	
Catherinæ, <i>L. and F.</i> ...	Brazil.	
Catherinæ, <i>J. Sm.</i> ; see loriceum.		
chnoodes, <i>Spreng.</i>	Trop. America	
colpodes, <i>Kunze</i> ; see plesiosorum.		
conjugatum, <i>Lam.</i>	Trop. Asia.	
contiguum, <i>Wall.</i> ; see longifolium.		
coronans, <i>Wall.</i> ; see con- jugatum.		
crassinervium, <i>Blume</i> ; see platyphyllum.		
crassifolium, <i>L.</i>	Trop. America	
var. albopunctatissi- mum, <i>Lind.</i>	Brazil.	
crenatum, <i>Sw.</i>	Trop. America	
cuspidatum, <i>Blume</i> ; see persicæfolium.		
decumanum, <i>Willd.</i>	"	
decurrens, <i>Raddi.</i>	"	
dictyocallis, <i>Lowe</i> ; see decumanum.		
dissimile, <i>Auct.</i> ; see chnoodes.		
distans, <i>Raddi.</i> ; see fraxi- nifolium.		
diversifolium, <i>Sw.</i>	"	
drepanum, <i>Hook.</i>	Madeira.	
effusum, see <i>Nephrodium.</i>		
ensifolium, <i>Willd.</i> ; see angustifolium.		
✓ Dryopteris, <i>L.</i>	N. temp. zone.	
var. Robertianum, <i>Hoffm.</i>	"	
fraternum, <i>C. and J.</i> ...	Mexico.	
fraxinifolium, <i>Jacq.</i>	Trop. America	
Gheisbreghtii, <i>Lind.</i>	"	
glaucum, <i>Raddi</i> ; see Ca- therinæ.		
guatemalense, <i>Hook.</i>	Trop. America	
harpeodes, <i>Link</i> ; see loriceum.		
Heracleum, <i>Kze.</i>	Trop. Asia.	
✓ hexagonopterum, <i>Mich.</i> .	N. America.	
himalayense, <i>Hook.</i>	Himalayas.	
inæquale, <i>Moore</i> ; see guatemalense.		
incanum, <i>Sw.</i>	Cape & Amer.	
incurvatum, <i>Blume.</i>	Malaya.	
irioides, <i>Lam.</i>	Trop. and sub- trop. Old Wrl'd.	
juglandifolium, <i>Don.</i> ...	Himalayas.	
var. tenuicauda, <i>Hook.</i>	"	
Karwinskianum, <i>A. Br.</i> ; see plebeium.		

Name.	Locality.	Additions.
POLYPODIUM—cont.		
<i>lanceolatum</i> , <i>L.</i>	Ubiquitous.	
<i>latipes</i> , <i>L. and F.</i> ; see <i>loriceum</i> .		
<i>leiorhizon</i> , <i>Wall.</i>	Trop. Asia.	
<i>lepidopteris</i> , <i>Kze.</i>	Trop. America	
<i>lineare</i> , <i>Thunb.</i>	Trop., &c., Old World.	
<i>Lingua</i> , <i>Sw.</i>	Trop. Asia, &c.	
<i>longifolium</i> , <i>Mett.</i>	Malaya.	
<i>longissimum</i> , <i>Blume</i>	"	
<i>loriceum</i> , <i>L.</i>	Trop. America	
<i>var. latipes</i> , (<i>F. and L.</i>)	"	
<i>var. vacillans</i> , (<i>Link.</i>)	"	
<i>lucidum</i> , <i>Beyr.</i>	"	
<i>lycopodioides</i> , <i>L.</i>	Trop. every- where.	
<i>var. maximum</i> , <i>Hort.</i>	"	
<i>var. owariense</i> , (<i>Desv.</i>)	Trop. Africa.	
<i>var. nitidum</i> , (<i>J. Sm.</i>)	Honduras.	
<i>var. squamulosum</i> , (<i>Kaulf.</i>)	Brazil.	
<i>macropterum</i> , <i>Kaulf.</i> ; see <i>splendidum</i> .		
<i>megalodus</i> , <i>Schk.</i> ; see <i>tetragonum</i> .		
<i>menisciifolium</i> , <i>L. and F.</i>	Brazil.	
<i>Meyenianum</i> , <i>Schott.</i>	Philippines.	
<i>musæfolium</i> , <i>Bl.</i>	Malaya.	
<i>neriifolium</i> , <i>Schk.</i>	Trop. America	
<i>nigrescens</i> , <i>Bl.</i>	Malaya, &c.	
<i>var. major</i>	"	
<i>nitidum</i> , <i>J. Sm.</i> ; see <i>lyco-</i> <i>podioides</i> and <i>Phylli-</i> <i>tidis</i> .		
<i>nudum</i> , <i>Hook.</i> ; see <i>lineare</i> .		
<i>owariense</i> , <i>Desv.</i> ; see <i>lycopodioides</i> .		
<i>oxylobum</i> , <i>Wall.</i> ; see <i>trifidum</i> .		
<i>pectinatum</i> , <i>L.</i>	Trop. America	
<i>var. Paradiseæ</i> , <i>L. and F.</i>	"	
<i>pennigerum</i> , <i>Forst.</i>	New Zealand.	
<i>percussum</i> , <i>Cav.</i>	Trop. America	
<i>persicæfolium</i> , <i>Desv.</i> ...	Trop. Asia.	
<i>Phegopteris</i> , <i>L.</i>	N. temp. zone.	
<i>Phyllitidis</i> , <i>L.</i>	Trop. America	
<i>var. brevifolium</i> , <i>Link.</i>	"	
<i>var. obscurum</i> , <i>Mett.</i>	"	
<i>Phymatodes</i> , <i>L.</i>	Tropics Asia and Africa.	
<i>var. peltideum</i> , (<i>Link.</i>)	"	
<i>var. terminale</i> , (<i>Link.</i>)	"	
<i>var. longipes</i> , (<i>Link.</i>)	"	
<i>plebeium</i> , <i>Schlecht.</i>	Mexico.	
<i>piloselloides</i> , <i>L.</i>	Trop. America	
<i>plectolepis</i> , <i>Hook.</i>	Mexico and Guatemala.	
<i>plesiosorum</i> , <i>Kze.</i>	Trop. America	

Name.	Locality.	Additions.
POLYPODIUM—cont.		
proliferum, <i>Presl.</i>	Trop.O.World.	
propinquum, <i>Wall.</i>	Trop. Asia.	
pteropus, <i>Blume.</i>	„	
pulvinatum, <i>Link</i> ; see aureum.		
punctatum, <i>Thunb.</i>	Australia, &c.	
pustulatum, <i>Forst.</i>	Australia and New Zealand.	
quercifolium, <i>L.</i>	Trop.Asia,&c.	
repens, <i>L.</i>	Trop.America	
reptans, <i>Sw.</i>	„	
rhagadiolepis, <i>Fée</i> ; see squamatum.		
rigidulum, <i>Sw.</i>	N. Australia, &c.	
rigidum, <i>J. Sm.</i> ; see luci- dum.		
Robertianum, <i>Hoffm.</i> ; see <i>Dryopteris.</i>		
rufescens, <i>Bl.</i>	Trop.Asia,&c.	
rugulosum, <i>Lab.</i> ; see punctatum.		
Schkuhri, <i>Raddi.</i> ; see taxifolium.		
sepultum, <i>Kaulf.</i> ; see lepidopteris.		
serpens, <i>Forst.</i>	Australia.	
var. bicolor, <i>Kaulf.</i> ...	New Zealand.	
Spectrum, <i>Kaulf.</i>	SandwichIsles	
sphærocephalum, <i>Wall.</i> ; see angustatum.		
splendidum, <i>Kaulf.</i>	Brazil.	
sporodocarpum, <i>Willd.</i> ; see aureum.		
squamatum, <i>L.</i>	Trop.America	
var. rhagadiolepis, <i>Fée.</i>	„	
stigmaticum, <i>Presl.</i>	„	
squamulosum, <i>Kaulf.</i> ; see lycopodioides.		
subauriculatum, <i>Blume.</i> ...	Trop.Asia,&c.	
taxifolium, <i>L.</i>	„	
var. Schkuhri, <i>Raddi.</i>	Trop.America	
tenellum, <i>Forst.</i>	Australia, &c.	
tenuicauda, <i>Hook.</i> ; see juglandifolium.		
tetragonum, <i>Sw.</i>	„	
var. megalodus, <i>Schk.</i>	„	
trifidum, <i>Don.</i>	East Indies.	
unidentatum, <i>Hook.</i>	SandwichIsles	
vacillans, <i>Link</i> ; see loriceum.		
vacciniifolium, <i>L. and F.</i>	Trop.America	
venosum, <i>Desv.</i> ; see stigmaticum.		
venustum, <i>Wall.</i> ; see himalayense.		
verrucosum, <i>Wall.</i>	Trop. Malaya.	
vulgare, <i>L.</i>	N. temp. zone.	
var. australe, <i>Fée.</i>	Canaries.	
Walkeræ, <i>Hook.</i>	Ceylon.	

Name.	Locality.	Additions.
POLYSTICHUM; <i>see</i> Aspidium.		
PROSAPTIA; <i>see</i> Davallia.		
PSEUDATHYRIUM; <i>see</i> Polypodium.		
PTERIS, <i>Linn.</i> :		
✓ <i>aquilina</i> , <i>L.</i>	Cosmopolite.	
<i>var. esculenta</i> , <i>Forst.</i>	N. Zealand, &c.	
<i>arguta</i> , <i>Ait.</i>	S. Europe and Azores.	
<i>argyræa</i> , <i>Moore</i> ; <i>see</i> quadriaurita.		
<i>Ascensionis</i> , <i>Sw.</i> ; <i>see</i> flabellata.		
✓ <i>aurita</i> , <i>Blume</i> ; <i>see</i> incisa.		
<i>collina</i> , <i>Raddi.</i> ; <i>see</i> palmata.		
<i>comans</i> , <i>Forst.</i>		
<i>var. undulata</i> , <i>Moore.</i>	Fiji.	
✓ <i>crenata</i> , <i>Sw.</i>	Trop. Asia & Polynesia.	
✓ <i>cretica</i> , <i>L.</i>	Trop. and sub-trop. regions	
<i>var. albolineata</i> , <i>Hort.</i>	"	
<i>var. latifolia</i>	"	
✓ <i>deflexa</i> , <i>Link</i>	Trop. America	
<i>denticulata</i> , <i>Sw.</i>	"	
<i>elata</i> , <i>Ag.</i>	"	
<i>felosma</i> , <i>J. Sm.</i> ; <i>see</i> quadriaurita.		
✓ <i>flabellata</i> , <i>Thunb.</i>	Cape.	
<i>var. Ascensionis</i> , <i>Sw.</i>	Ascension Island.	
✓ <i>glaucovirens</i> , <i>Lind.</i> ; <i>see</i> quadriaurita.		
<i>Gheisbreghtii</i> , <i>J. Sm.</i> ; <i>see</i> laciniata.		
✓ <i>gracilis</i> , <i>Fée.</i>	Trop. America	
<i>grandifolia</i> , <i>L.</i>	"	
<i>heterophylla</i> , <i>L.</i>	West Indies.	
✓ <i>incisa</i> , <i>Thunb.</i>	Trop. and sub-trop. regions	
<i>var. aurita</i> , <i>Bl.</i>	Trop. Asia.	
✓ <i>laciniata</i> , <i>Willd.</i>	Trop. America	
<i>var. Gheisbreghtii</i> , <i>J. Sm.</i>	"	
<i>lata</i> , <i>Link</i> ; <i>see</i> flabellata.		
✓ <i>leptophylla</i> , <i>Sw.</i>	Brazil.	
✓ <i>longifolia</i> , <i>L.</i>	Trop. and sub-trop. regions	
<i>macilentia</i> , <i>A. Rich.</i>	New Zealand.	
<i>macroptera</i> , <i>Link</i>	Brazil.	
<i>mutilata</i> , <i>L.</i>	West Indies.	
<i>nobilis</i> , <i>Hort.</i> ; <i>see</i> palmata.		
✓ <i>paleacea</i> , <i>Roxb.</i>	St. Helena.	
✓ <i>palmata</i> , <i>Willd.</i>	Trop. America, &c.	
<i>var. collina</i> , (<i>Raddi.</i>)	"	
<i>var. nobilis</i> , <i>Hort.</i> ...	"	
✓ <i>pedata</i> , <i>L.</i>	"	
✓ <i>pellucens</i> , <i>Ag.</i>	Trop. Asia.	

Name.	Locality.	Additions.
PTERIS — <i>cont.</i>		
podophylla, <i>Sw.</i>	Trop. America, &c.	
polita, <i>Link</i> ; see propinqua.		
propinqua, <i>Link.</i>		
pungens, <i>Willd.</i>	West Indies.	
quadriaurita, <i>Retz.</i>	Tropics everywhere.	
var. argyræa, (<i>Moore</i>)		
var. felosma, (<i>J. Sm.</i>)	West Indies.	
var. glaucovirens, (<i>Lind.</i>)	Trop. America	
var. sulcata, (<i>Link.</i>)...	Brazil.	
var. tricolor, (<i>Hort.</i>)	East Indies.	
sagittifolia, <i>Raddi.</i>	Brazil.	
scaberula, <i>A. Rich.</i>	New Zealand.	
semipinnata, <i>L.</i>	Trop. and subtrop. Asia.	
serrulata, <i>L. fil.</i>	China and Japan.	
spinulifera, <i>Schum.</i>	Trop. America	
straminea, <i>Mett.</i>	Chili.	
sulcata, <i>Link</i> ; see quadriaurita.		
tremula, <i>R. Br.</i>	Australia.	
tripartita, <i>Sw.</i>	Tropics of Old World.	
umbrosa, <i>R. Br.</i>	Australia.	
undulata, <i>Moore</i> ; see comans.		
vespertilionis, <i>Lab.</i> ; see incisa.		
PTEROPSIS ; see <i>Tænitis</i> .		
PYCNOPTERIS ; see <i>Nephrodium</i> .		
RHIPIDOPTERIS ; see <i>Acrostichum</i> .		
SACCOLOMA ; see <i>Davallia</i> .		
SAGENIA ; see <i>Nephrodium</i> .		
SALPICHLÆNA , see <i>Lomaria</i> .		
SCELLOLEPIS ; see <i>Polypodium</i> .		
SCHIZOCÆNA ; see <i>Cyathea</i> .		
SCHIZOLOMA ; see <i>Lindsaya</i> .		
SCOLOPENDRIUM , <i>Sm.</i> :		
<i>Krebsii</i> , <i>Kunze</i> ; see <i>Lomaria punctulata</i> .		
rhizophyllum, <i>Hook.</i> ...	N. America.	
vulgare, <i>Sm.</i>	N. temp. zone.	
SELLIGUEA ; see <i>Gymnogramme</i> .		
SITOLOBIUM ; see <i>Davallia</i> .		
SOROMANES ; see <i>Acrostichum Cænopteris</i> .		
STEGANIA ; see <i>Lomaria</i> .		
STENOCHLÆNA ; see <i>Acrostichum</i> .		
STENOLOMA ; see <i>Davallia</i> .		
STENOSEMIA ; see <i>Acrostichum</i> .		

Name.	Locality.	Additions.
STRUTHIOPTERIS ; Onoclea.	see	
TAENIOPSIS ;	see Vittaria.	
TAENITIS, Sw. :		
angustifolia, R. Br.	Trop. America	
lanceolata, R. Br.	"	
TODEA, Willd. :		
africana, Willd. ;	see	
barbara.		
barbara, Moore.....	Cape and Australia.	
hymenophylloides, R.	New Zealand.	
and L.		
pellucida, Carm. ;	see	
hymenophylloides.		
rivularis, Sieb. ;	see bar-	
bara.		
superba, Col.	"	
TRICHIOCARPA ;	see Deparia.	
TRICHOMANES, L. :		
alatum, Sw.	Trop. America	
angustatum, Carm. ;	see	
tenerum.		
Bancroftii, H. and G. ...	"	
Bojeri, H. and G. ;	see	
cuspidatum.		
brachypus, Kze.	"	
crispum, L.	Trop. America	
cuspidatum, Willd.	Mauritius.	
elegans, Rudge.	"	
humile, Forst.	Polynesia.	
javanicum, Blume.....	Malaya.	
var. Zollingeri, V.D.B.	"	
Krausii, H. and G.	Trop. America	
Luschnathianum, Presl ;		
see radicans.		
maximum, Blume.....	Malaya and Polynesia.	
membranaceum, L.	Trop. America	
muscoides, Sw.	Tropics.	
pinnatum, Sw.	Trop. America	
Prieurii, Kze.	"	
punctatum, Poir.....	"	
pusillum, Sw.	"	
var. quercifolium, H.	"	
and G.		
pyxidiferum, L.	Tropics every- where.	
quercifolium, H. and G. ;		
see pusillum.		
radicans, Sw.	Trop. and sub- trop. regions.	
var. Luschnathianum, Presl.	Brazil.	
rigidum, Sw.	Tropics every- where.	
reniforme, Forst.	New Zealand.	
reptans, Sw.	Trop. America	
sinuosum, Rich.	"	
tenerum, Spreng.....	"	

Name.	Locality.	Additions.
TRICHOMANES—cont.		
trichoidium, <i>Sw.</i>	Trop. America	
venosum, <i>R. Br.</i>	Australia.	
Zollingeri, <i>V.D.B.</i> ; see		
javanicum.		
VITTARIA, <i>Smith</i>:		
elongata, <i>Sw.</i>	Trop. of Old World.	
lineata, <i>Sw.</i>	Trop. America	
scolopendrina, <i>Thwaites</i>	Ceylon, &c.	
zosteræfolia, <i>Willd.</i> ; see		
elongata.		
WOODSIA, <i>R. Br.</i>:		
✓ hyperborea, <i>R. Br.</i>	N. temp. zone.	
✓ ilvensis, <i>R. Br.</i>	"	
obtusata, <i>Hook.</i>	N. America.	
WOODWARDIA, <i>Sm.</i>:		
areolata, <i>Moore</i>	United States.	
japonica, <i>Sw.</i>	Japan.	
orientalis, <i>Sw.</i>	Japan, &c.	
radicans, <i>Sw.</i>	N. temp. zone.	
LYCOPODIACEÆ.		
LYCOPodium, <i>L.</i>:		
dendroides, <i>L.</i>	N. America.	
Phlegmaria, <i>L.</i>	Tropics.	
verticillatum, <i>L.</i>	"	
PSILOTUM TRIQUETrum, <i>Sw.</i>	"	
SELAGINELLA, <i>Spring</i>:		
africana, <i>A. Br.</i> ; see		
fulcrata.		
albonitens, <i>Spr.</i>	West Indies.	
atroviridis, <i>Spr.</i>	United States.	
apus, <i>Spring</i>	East Indies.	
Braunii, <i>Baker</i>	China.	
cæsia, <i>Hort.</i> ; see unci-		
nata.		
caulescens, <i>Spr.</i>	Trop. Asia.	
var. japonica, (<i>Mac-</i>	Japan.	
<i>nab.</i>)		
var. minor	Trop. Asia.	
conferta, <i>Moore</i>	"	
convoluta, <i>Spr.</i>	Trop. America	
cuspidata, <i>Link</i>	"	
var. elongata, <i>Spr.</i> ...	"	
delicatissima, <i>A. Br.</i> ...	Unknown.	
denticulata, <i>Link</i>	Europe.	
denticulata, <i>Hort.</i> ; see		
Kraussiana.		
erythropus, <i>Spring</i>	Trop. America	
flicina, <i>Spring</i> ; see hæ-		
matodes.		
flabellata, <i>Spr.</i>	Tropics.	
fulcrata, <i>Spr.</i>	Trop. of Old World.	
Galeottei, <i>Spr.</i>	Mexico.	
Griffithii, <i>Spr.</i>	Trop. Asia.	
hæmatodes, <i>Spr.</i>	Trop. America	
helvetica, <i>Link</i>	Europe.	
inæqualifolia, <i>Spr.</i>	Trop. Asia.	
involvens, <i>Spr.</i>	China & Japan.	

Name.	Locality.
SELAGINELLA—cont.	
Kraussiana, A. Br.	Cape, Azores, &c.
✓ lævigata, Baker.....	Mascaren Isles.
Lobbi, Hort.	Borneo.
ludoviciana, A. Br.	United States.
Lyallii, Spr.; see lævigata.	
Martensii, Spr.	Mexico.
var. divaricata, Hort.	„
var. formosa, Hort. ...	„
var. robusta, Hort. ...	„
mutabilis, Hort.; see cæsia.	
patula, Spring.....	West Indies.
pilifera, A. Br.	Texas.
rubricaulis, Hort.; see suberosa.	
serpens, Spr.	West Indies.
suberosa, Spr.	Trop. Asia.
uncinata, Spr.	China.
viticulosa, Klotz.	Trop. America
Wallichii, Spr.	Trop. Asia.
Willdenovii, Baker.....	„

EQUISETACEÆ.

EQUISETUM, L.:

✓	arvense, L.	Cosmopolitan.
✓	hyemale, L.	N. temp. zone.
	var. paleaceum, Schleich.	„
✓	scirpoides, Mich.	„
~	variegatum, W. and M.	„
~	var. Wilsoni, Newm. ...	Ireland.

Royal Gardens, Kew,
January 1869.

J. D. HOOKER,
Director.

Specimens.

Specimens and varieties in this catalogue	-
„ „ in the catalogue of 1856	-
„ „ „ 1845	-

Ferns.	Lycopods, &c.
- 802	48
- 504	Not enumerated.
- 378	Do.

LONDON :

Printed by GEORGE E. EYRE and WILLIAM SPOTTISWOODE,
Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

[10568.—1,000.—2/69.]

